



Claims

1. A condensed pyridine compound (I) represented by the following formula, its pharmaceutically acceptable salt or hydrates thereof.



Wherein, ring A represents benzene ring or pyridine ring;
R¹ represents hydrogen atom, halogen atom, a lower alkyl group
or a lower alkoxy group;
R² represents 4-morpholinyl group, 1-imidazolyl group, 1-lower
alkyl homopiperazin-4-yl group or any one selected from the
groups represented by the following formulae:




(wherein, T represents nitrogen atom or methine group;
R³ represents hydrogen atom, halogen atom, a lower alkyl group
or a lower alkoxy group;
R⁴ represents hydrogen atom, a lower alkyl group, a hydroxy lower
alkyl group, a halogenated lower alkyl group, a lower cycloalkyl
group, an aryl group, an aralkyl group, 1-piperidyl group, an
alkenyl group, a cyano lower alkyl group, a carbamoyl lower alkyl
group, a lower acyl group, an aromatic acyl group, a lower alkoxy







carbonyl group, an aryloxycarbonyl group or an aralkyloxycarbonyl group;

R^5 and R^6 are the same as or different from each other and each represents hydrogen atom, a lower alkyl group, a di lower alkyl aminoalkyl group, an optionally substituted heteroaryl lower alkyl group);

n represents 0 or an integer of 1 to 6; and

B represents an optionally substituted aryl group, an optionally substituted heteroaryl group, an optionally substituted aralkyloxy group, an aryl(hydroxy)alkyl group, an aromatic acyl amino group, an arylsulfonylamino group, a lower alkoxy arylsulfonylamino group, a hydroxy lower alkoxy styryl group, a lower alkoxy aryloxy group, 4-phenylpiperidin-1-yl group, 4-pyridylpiperidin-1-yl group, an optionally substituted arylalkenyl group, an optionally substituted arylalkynyl group, an optionally substituted heteroarylalkenyl group, an optionally substituted heteroarylalkynyl group, an aromatic acylalkynyl group, an optionally N -substituted aminoloweralkyl group, an optionally substituted arylamino group, an optionally substituted aralkylamino group or any one selected from the groups represented by the following formulae:





(wherein z represents 0 or 1;

Q represents nitrogen atom or methine group;

R^7 , R^8 and R^9 are the same as or different from each other and each represents hydrogen atom, halogen atom, hydroxyl group, a lower alkyl group, a lower alkenyl group, a lower alkynyl group,

a lower alkoxy group, a lower thioalkoxy group, a hydroxy lower thioalkoxy group, an arylthio group, a heteroarylthio group, a heteroaryl(hydroxy)alkyl group, a halogenated lower alkyl group, a hydroxy lower alkyl group, a dihydroxy lower alkyl group, a halogenated (hydroxy) lower alkyl group, a hydroxyalkenyl group, a hydroxyalkynyl group, a hydroxy lower cycloalkenyl group, a lower alkoxy(hydroxy)alkyl group, a lower alkoxy(hydroxy)alkoxy group, a lower alkoxyalkyl group, a lower alkoxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkylsulfonylalkoxy group, a hydroxy lower alkoxy group, a dihydroxy lower alkoxy group, a hydroxy lower alkylalkoxy group, a hydroxyimino lower alkyl group, a lower cycloalkyl (hydroxy) alkyl group, an aralkyl group, a hydroxyaralkyl group, cyano group, a cyano lower alkyl group, amide group, an N-lower alkylamide group, an N-lower cycloalkylamide group, an N,N-di lower alkylamide group, an N-hydroxy lower alkylamide group, an N-hydroxy lower alkyl-N-lower alkylamide group, an N-arylamine group, cyclic aminocarbonyl group, carbamoyl group, an N-lower alkyl carbamoyl group, an N,N-di lower alkyl carbamoyl group, aminosulfonyl group, cyclic aminosulfonyl group, an N-lower alkylaminosulfonyl group, an N-lower cycloalkylaminosulfonyl group, an N,N-di lower alkylaminosulfonyl group, an N-hydroxy lower alkylaminosulfonyl group, an N-lower alkoxyalkylaminosulfonyl group, an N-halogenated lower alkylsulfonyl group, pyrrolidinylsulfonyl group, a lower alkylsulfonylaminoalkyl

group, an N-lower alkylaminosulfonylalkyl group, an N,N-dilower alkylaminosulfonylalkyl group, a lower acyl group, a lower acylalkyl group, a lower cycloalkyl(hydroxy)methyl group, tetrahydropyranyl group, hydroxytetrahydropyranyl group, a hydroxy lower alkyltetrahydropyranyl group, a lower acylaminoalkyl group, (thiazol-2-yl)hydroxymethyl group, di(thiazol-2-yl)hydroxymethyl group, a lower alkylsulfonyl group, a lower alkoxyalkylsulfonyl group, a hydroxy lower alkylsulfonyl group, a lower alkylsulfonylalkyl group, an N-lower alkylamidealkyl group, an aryl group, an aralkyl group, a heteroaryl group, a heteroaryl lower alkyl group, a heteroaryl lower alkoxy group, a heteroarylsulfonyl group, 4-morpholinylsulfonyl group, 4-oxythiomorpholinylsulfonyl group, 4-dioxythiomorpholinylsulfonyl group, 4-morpholinylsulfonyl group, a hydroxy lower cycloalkyl group, a hydroxy lower cycloalkyloxy group, a hydroxycycloalkenyl group, a halogenated hydroxy lower alkyl group, 4-hydroxypiperidyl group, a 4-lower alkoxypiperidyl group, an ω,ω -lower alkylenedioxyalkyl group, an ω,ω -lower alkylenedioxyalkoxy group, a lower cycloalkylhydroxymethyl group, an aryloxy group, an arylaminosulfonyl group, aminogroup, a lower alkylaminogroup, a di lower alkylamino group, a hydroxy lower alkylamino group, a lower acylamino group, a hydroxy lower acylamino group, a lower alkylsulfonylamino group, a pyridyl lower alkoxy group, a lower alkylpyridylalkoxy group, a lower alkoxyhydroxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkylsulfonylalkoxy

group, an N-lower alkylcarbamoyl group, an N,N-di lower alkylcarbamoyl group, an N-hydroxy lower alkylcarbamoyl group, an N-hydroxy lower alkyl-N-lower alkylcarbamoyl group, a halogenated lower alkoxy group, a cyano lower alkoxy group, a hydroxy lower cycloalkoxy group, trifluoromethyl group, trifluoromethoxy group, an amino lower alkoxy group, an N-lower alkylaminoalkoxy group, an N,N-di lower alkylaminoalkoxy group, a lower acylalkoxy group, a lower acylaminoalkoxy group, a (1,3-dioxolanyl) lower alkyl group, a (1,3-dioxolanyl) lower alkoxy group, an amide lower alkoxy group, a 4-(hydroxyalkyl)tetrahydropyran-4-yl group, 2,3-dihydrobenzofuranyl group, a 2-hydroxy-2-alkyl-2,3-dihydrobenzofuranyl group, indanonyl group, hydroxyindanyl group, an imidazolyl lower alkoxy group, succinimide group or 2-oxazolidon-3-yl group; furthermore, R⁷ represents hydrogen atom, while R⁸ and R⁹ form cyclopentanone ring, hydroxycyclopentane ring, a hydroxyalkylcyclopentane ring, cyclohexanone ring, hydroxycyclohexane ring, a hydroxyalkylcyclohexane ring, 2-hydroxymethyl-2-methylcyclopentanone ring, 1,2-ethylenedioxy ring or methylenedioxy ring; m or p represents 0 or an integer of 1 to 6; R¹⁰, R¹², R¹³, R¹⁴, R¹⁵, R¹⁶, R¹⁷, R¹⁸, R¹⁹, R²⁰, R²¹, R²², R²³, R²⁵, R²⁷ and R²⁹ independently represent hydrogen atom, halogen atom, hydroxyl group, a lower alkyl group, a lower alkoxy group, a hydroxy lower alkyl group, a hydroxy lower alkoxy group or

tetrahydropyranyl group;

R^{11} represents hydrogen atom, halogen atom, hydroxy group, a lower alkyl group or a lower alkoxy group;

R^{24} represents hydrogen atom or a lower alkyl group;

R^{26} represents hydrogen atom or a hydroxy lower alkyl group;

R^{28} represents hydrogen atom or a lower alkyl group;

R^{30} represents hydrogen atom, a lower alkyl group, a lower alkoxy group, a hydroxy lower alkyl group or a hydroxy lower alkoxy group;

W represents sulfur atom or oxygen atom;

the bond represented by the following formula:




represents a single or double bond; and

the bond represented by the following formula:



represents trans or cis bond.).

2. A condensed pyridine compound (II) represented by the following formula, its pharmaceutically acceptable salt or hydrates thereof.




Wherein, ring A represents benzene ring;

R^1 represents hydrogen atom, halogen atom, a lower alkyl group or a lower alkoxy group;

R^2 represents 4-morpholinyl group, 1-imidazolyl group, a 1-lower

alkylhomopiperazin-4-yl group or anyone selected from the groups represented by the following formulae:




(wherein, T represents nitrogen atom or methine group; R⁴ represents hydrogen atom, a lower alkyl group, a hydroxy lower alkyl group, a halogenated lower alkyl group, a lower cycloalkyl group, an aryl group, an aralkyl group, 1-piperidyl group, an alkenyl group, a cyano lower alkyl group, a carbamoyl lower alkyl group, a lower acyl group, an aromatic acyl group, a lower alkoxy carbonyl group, an aryloxy carbonyl group or an aralkyloxy carbonyl group; and


R⁵ and R⁶ are the same as or different from each other and each represents hydrogen atom, a lower alkyl group, a di lower alkylaminoalkyl group, an optionally substituted heteroaryl lower alkyl group.);

n represents 0 or an integer of 1 to 6; and

B represents an optionally substituted aryl group, an optionally substituted heteroaryl group, an optionally substituted aralkyloxy group, an aryl(hydroxy)alkyl group, an aromaticacylamino group, an arylsulfonylamino group, a lower alkoxyarylsulfonylamino group, a hydroxy lower alkoxy styryl group, a lower alkoxyaryloxy group, 4-phenylpiperidin-1-yl group, 4-pyridylpiperidin-1-yl group, an optionally substituted arylalkenyl group, an optionally substituted

arylalkynyl group, an optionally substituted heteroarylalkenyl group, an optionally substituted heteroarylalkynyl group, an aromaticacylalkynyl group, an optionally N-substituted amino lower alkyl group, an optionally substituted arylamino group, an optionally substituted aralkylamino group or any one selected from the groups represented by the following formulae:





Q represents nitrogen atom or methine group;
R⁷, R⁸ and R⁹ are the same as or different from each other and each represents hydrogen atom, halogen atom, hydroxy group, a lower alkyl group, a lower alkenyl group, a lower alkynyl group, a lower alkoxy group, a lower thioalkoxy group, a hydroxy lower thioalkoxy group, an arylthio group, a heteroarylthio group, a heteroaryl(hydroxy)alkyl group, a halogenated lower alkyl group, a hydroxy lower alkyl group, a dihydroxy lower alkyl group, a halogenated(hydroxy) lower alkyl group, a hydroxyalkenyl group, a hydroxyalkynyl group, a hydroxy lower cycloalkenyl group, a lower alkoxy(hydroxy)alkyl group, a lower alkoxy(hydroxy)alkoxy group, a lower alkoxyalkyl group, a lower alkoxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkyl sulfonylalkoxy group, a hydroxy lower alkoxy group, a dihydroxy lower alkoxy group, a hydroxy lower alkylalkoxy group, a hydroxyimino lower alkyl group, a lower cycloalkyl(hydroxy) alkyl group, an aralkyl group, a hydroxyaralkyl group, cyano group, a cyano lower alkyl group, amide group, an N-lower

alkyl amide group, an N-lower cycloalkyl amide group, an N,N-di lower alkyl amide group, an N-hydroxy lower alkyl amide group, an N-hydroxy lower alkyl-N-lower alkyl amide group, an N-arylamide group, a cyclic amino carbonyl group, carbamoyl group, an N-lower alkyl carbamoyl group, an N,N-di-lower alkyl carbamoyl group, aminosulfonyl group, a cyclic amino sulfonyl group, an N-lower alkyl aminosulfonyl group, an N-lower cycloalkyl aminosulfonyl group, an N,N-di lower alkyl aminosulfonyl group, an N-hydroxy lower alkyl aminosulfonyl group, an N-lower alkoxyalkyl aminosulfonyl group, an N-halogenated lower alkyl sulfonyl group, pyrrolidinyl sulfonyl group, a lower alkyl sulfonylaminoalkyl group, an N-lower alkyl aminosulfonylalkyl group, an N,N-di lower alkyl aminosulfonylalkyl group, a lower acyl group, a lower acylalkyl group, a lower cycloalkyl(hydroxy)methyl group, tetrahydropyranyl group, hydroxytetrahydropyranyl group, a hydroxy lower alkyl tetrahydropyranyl group, a lower acylaminoalkyl group, (thiazol-2-yl)hydroxymethyl group, di(thiazol-2-yl)hydroxymethyl group, a lower alkyl sulfonyl group, a lower alkoxyalkyl sulfonyl group, a hydroxy lower alkyl sulfonyl group, a lower alkyl sulfonylalkyl group, an N-lower alkyl amidealkyl group, an aryl group, an aralkyl group, a heteroaryl group, a heteroaryl lower alkyl group, a heteroaryl lower alkoxy group, a heteroarylsulfonyl group, 4-morpholinyl sulfonyl group, 4-oxythiomorpholinyl sulfonyl group, 4-dioxythiomorpholinyl sulfonyl group,

4-morpholinylsulfonyl group, a hydroxy lower cycloalkyl group, a hydroxy lower cycloalkyloxy group, a hydroxycycloalkenyl group, a halogenated hydroxy lower alkyl group, 4-hydroxypiperidyl group, a 4-lower alkoxy piperidyl group, an ω,ω -lower alkylene dioxyalkyl group, an ω,ω -lower alkylene dioxyalkoxy group, a lower cycloalkyl hydroxymethyl group, an aryloxy group, an arylaminosulfonyl group, amino group, a lower alkylamino group, a di lower alkylamino group, a hydroxy lower alkylamino group, a lower acylamino group, a hydroxy lower acylamino group, a lower alkylsulfonylamino group, a pyridyl lower alkoxy group, a lower alkylpyridylalkoxy group, a lower alkoxyhydroxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkylsulfonylalkoxy group, an N-lower alkylcarbamoyl group, an N,N-di lower alkylcarbamoyl group, an N-hydroxy lower alkylcarbamoyl group, an N-hydroxy lower alkyl-N-lower alkylcarbamoyl group, a halogenated lower alkoxy group, a cyano lower alkoxy group, a hydroxy lower cycloalkoxy group, trifluoromethyl group, trifluoromethoxy group, an amino lower alkoxy group, an N-lower alkyl aminoalkoxy group, an N,N-di lower alkylaminoalkoxy group, a lower acylalkoxy group, a lower acylaminoalkoxy group, a (1,3-dioxolanyl) lower alkyl group, a (1,3-dioxolanyl) lower alkoxy group, an amide lower alkoxy group, a 4-(hydroxyalkyl)tetrahydropyran-4-yl group, 2,3-dihydrobenzofuranyl group, a 2-hydroxy-2-alkyl-2,3-dihydrobenzofuranyl group, indanonyl group, hydroxyindanyl group, an imidazolyl lower alkoxy group,

succinimide group or 2-oxazolidon-3-yl group;
 furthermore, R^7 represents hydrogen atom, while R^8 and R^9 may
 form cyclopentanone ring, hydroxycyclopentane ring, a
 hydroxyalkylcyclopentane ring, cyclohexanone ring,
 hydroxycyclohexane ring, a hydroxyalkylcyclohexane ring,
 2-hydroxymethyl-2-methylcyclopentanone ring,
 1,2-ethylenedioxy ring or methylenedioxy ring;
 m or p represents 0 or an integer of 1 to 6;
 R^{10} , R^{12} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} , R^{18} , R^{19} , R^{20} , R^{21} , R^{22} , R^{23} , R^{25} ,
 R^{27} and R^{29} independently represent hydrogen atom, halogen atom,
 hydroxy group, a lower alkyl group, a lower alkoxy group, a hydroxy
 lower alkyl group, a hydroxy lower alkoxy group or
 tetrahydropyranyl group;
 R^{11} represents hydrogen atom, halogen atom, hydroxy group, a
 lower alkyl group or a lower alkoxy group;
 R^{24} represents hydrogen atom or a lower alkyl group;
 R^{26} represents hydrogen atom or a hydroxy lower alkyl group;
 R^{28} represents hydrogen atom or a lower alkyl group;
 R^{30} represents hydrogen atom, a lower alkyl group, a lower alkoxy
 group, a hydroxy lower alkyl group or a hydroxy lower alkoxy
 group;


W represents sulfur atom or oxygen atom;
 the bond represented by the following formula:

represents a single or double bond; and
 the bond represented by the following formula:

www


represents trans or cis bond.).

3. The condensed pyridine compound as claimed in Claim 1, which is a compound selected from the compound represented by the following formulae:







(wherein R^{31} has the same meaning as that of the above R^1 , R^{32} has the same meaning as that of the above R^2 and R^{33} has the same meanings as that of the above B, respectively), its pharmacologically acceptable salt or hydrates thereof.

4. The condensed pyridine compound as claimed in Claim 3, which is a compound represented by the following formula:



(wherein R^{31} has the same meaning as that of the above R^1 , R^{32} has the same meaning as that of the above R^2 and R^{33} has the same meanings as that of the above B, respectively), its pharmacologically acceptable salt or hydrates thereof.

5. The condensed pyridine compound as claimed in Claim 3, which is a compound selected from the compound represented by the following formulae:



(wherein R^{31} has the same meaning as that of the above R^1 , R^{32} has the same meaning as that of the above R^2 and R^{33} has the same meanings as that of the above B, respectively), its

pharmacologically acceptable salt or hydrates thereof.

6. The condensed pyridine compound as claimed in Claim 3, which is a compound selected from the following group:

(1)

3-(4-benzyloxybutyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(2)

1-(1-methylpiperazin-4-yl)-3-(4-methoxyphenyl)isoquinoline,

(3)

1-(1-methylpiperazin-4-yl)-3-[4-(2-hydroxyethoxy)phenyl]isoquinoline,

(4)

1-(4-ethylpiperazin-1-yl)-3-(4-trifluoromethylphenyl)isoquinoline,

(5)

1-(4-ethylpiperazin-1-yl)-3-[4-(1-fluoropropyl)phenyl]isoquinoline,

(6)

1-(4-ethylpiperazin-1-yl)-3-(2-hydroxyphenyl)isoquinoline,

(7)

1-(4-ethylpiperazin-1-yl)-3-(4-hydroxyphenyl)isoquinoline,

(8)

1-(4-ethylpiperazin-1-yl)-3-(2-methoxyphenyl)isoquinoline,

(9)

1-(4-ethylpiperazin-1-yl)-3-(3-methoxyphenyl)isoquinoline,

(10)

1-(4-ethylpiperazin-1-yl)-3-(4-methoxyphenyl)isoquinoline,

(11)

3-(2,3-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(12)

3-(2,4-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(13)

3-(2,5-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(14)

3-(3,4-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(15)

3-(3,5-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(16)

1-(4-ethylpiperazin-1-yl)-3-(2,4,5-trimethoxyphenyl)isoquinoline,

(17)

1-(4-ethylpiperazin-1-yl)-3-(4-hydroxymethylphenyl)isoquinoline,

(18)

3-[2-(2-hydroxyethoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(19)

1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxypropyl)phenyl]isoq

uinoline,

(20)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxypropyl)phenyl]isoqu

uinoline,

(21)

1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxybutyl)phenyl]isoqu

inoline,

(22)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxybutyl)phenyl]isoqu

inoline,

(23)

3-[4-(4-hydroxybutyl)phenyl]-1-(4-ethylpiperazin-1-yl)isoqu

inoline,

(24)

3-[4-(1,3-dihydroxypropyl)phenyl]-1-(4-ethylpiperazin-1-yl)

isoquinoline,

(25)

3-[4-(1,3-dihydroxy-3-methylbutyl)phenyl]-1-(4-ethylpiperaz

in-1-yl)isoquinoline,

(26)

3-[4-(3-hydroxy-1-methoxybutyl)phenyl]-1-(4-ethylpiperazin-

1-yl)isoquinoline,

(27)

1-(1-ethylpiperazin-4-yl)-3-[4-(3-hydroxy-1-fluoropropyl)ph

enyl]isoquinoline,

(28)

1- (4-ethylpiperazin-1-yl) -3- [4- (4-hydroxymethyl-3-fluoro) ph
enyl]isoquinoline,

(29)

1- (4-ethylpiperazin-1-yl) -3- [3-fluoro-4- (1-hydroxypropyl) ph
enyl]isoquinoline,

(30)

3- [3-chloro-4- (3-hydroxypropyl) phenyl] -1- (4-ethylpiperazin-
1-yl) isoquinoline,

(31)

3- [3-carboxamide-4- (3-hydroxypropyl) phenyl] -1- (4-ethylpiper
azin-1-yl) isoquinoline,

(32)

3- [3-cyano-4- (3-hydroxypropyl) phenyl] -1- (4-ethylpiperazin-1
-yl) isoquinoline,

(33)

1- (4-ethylpiperazin-1-yl) -3- [4- (3-hydroxypropyl) -3-methoxyp
henyl]isoquinoline,

(34)

3- [3- (3-hydroxypropyl) -4-methoxyphenyl] -1- (4-ethylpiperazin
-1-yl) isoquinoline,

(35)

3- [3- (4-hydroxybutyl) -4-methoxyphenyl] -1- (4-ethylpiperazin-
1-yl) isoquinoline,

(36)

1- (4-ethylpiperazin-1-yl) -3- [4- (2-hydroxyethoxy) phenyl] isoq
uinline,

(37)

3- [3,4- (2-dihydroxyethoxy) phenyl] -1- (4-ethylpiperazin-1-yl)
isoquinoline,

(38)

3- [3,5- (2-dihydroxyethoxy) phenyl] -1- (4-ethylpiperazin-1-yl)
isoquinoline,

(39)

3- [3-chloro-4- (2-hydroxyethoxy) phenyl] -1- (4-ethylpiperazin-
1-yl) isoquinoline,

(40)

3- [3-methyl-4- (2-hydroxyethoxy) phenyl] -1- (4-ethylpiperazin-
1-yl) isoquinoline,

(41)

3- [3-isopropyl-4- (2-hydroxyethoxy) phenyl] -1- (4-ethylpiperaz
in-1-yl) isoquinoline,

(42)

1- (4-ethylpiperazin-1-yl) -3- [4- (2-methoxyethoxy) phenyl] isoq
uinoline,

(43)

3- [3,4- (2-dimethoxyethoxy) phenyl] -1- (4-ethylpiperazin-1-yl)
isoquinoline,

(44)

3- [4- (2-hydroxyethoxy) methylphenyl] -1- (4-ethylpiperazin-1-y
l) isoquinoline,

(45)

1- (4-ethylpiperazin-1-yl) -3- [4- (2-fluoroethoxy) phenyl] isoqu

inoline,

(46)

3-(3,4-methylenedioxyphenyl)-1-(4-ethylpiperazin-1-yl)isoqu

inoline,

(47)

1-(1-ethylpiperazin-4-yl)-3-(4-acetonyloxyphenyl)isoquinoli
ne,

(48)

3-[4-(3-aminopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoqu
inoline,

(49)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-dimethylaminoethoxy)pheny
l]isoquinoline,

(50)

3-[4-(3-acetamidopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)i
soquinoline,

(51)

3-(4-cyanomethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinol
ine,

(52)

3-[4-(2-cyanoethoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoqui
noline,

(53)

3-[4-(3-cyanopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoqu
inoline,

(54)

3-[4-(3-methylthiopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)
isoquinoline,

(55)

3-[4-(3-methylsulfonpropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)
isoquinoline,

(56)

3-{4-[2-(1-imidazolyl)ethoxy]phenyl}-1-(4-ethylpiperazin-1-yl)
isoquinoline,

(57)

3-{4-[3-(4-pyridyl)propoxy]phenyl}-1-(4-ethylpiperazin-1-yl)
isoquinoline,

(58)

3-{4-[2-(2-methylpyridin-5-yl)ethoxy]phenyl}-1-(4-ethylpiperazin-1-yl)
isoquinoline,

(59)

1-(1-ethylpiperazin-4-yl)-3-[4-(N-ethylcarbamyl)phenyl]isoquinoline,

(60)

(Z)-1-(4-ethylpiperazin-1-yl)-3-(4-hydroxyiminomethylphenyl)
isoquinoline,

(61)

(E)-1-(4-ethylpiperazin-1-yl)-3-(4-hydroxyiminomethylphenyl)
isoquinoline,

(62)

3-(4-cyanophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(63)

1-(4-ethylpiperazin-1-yl)-3-(4-N-propylaminocarbonylphenyl)
isoquinoline,

(64)

3-[4-(4-hydroxy-1-cyclohexen-1-yl)phenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(65)

3-(4-aminophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(66)

3-[4-(N,N-dimethylamino)phenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(67)

3-[4-(2-hydroxyethyl)aminophenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(68)

3-(4-acetamidophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline

,

(69)

3-(4-ethylcarbonylaminophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(70)

3-(4-propylcarbonylaminophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(71)

3-(4-ethylsulfonylaminophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(72)

3-(4-propylsulfonylamino-phenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(73)

3-(4-butylsulfonylamino-phenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(74)

3-(4-sulfonamido-phenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(75)

3-[(4-morpholinyl)sulfonylphenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(76)

3-[(4-thiomorpholinyl)sulfonylphenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(77)

3-[(1,1-dioxythiomorpholinyl)sulfonylphenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(78)

3-(4-ethylsulfonylaminoethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(79)

3-(4-ethylsulfonylaminoethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(80)

3-(4-ethylaminosulfonylmethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(81)

3- (4-propylaminosulfonylmethylphenyl) -1- (4-ethylpiperazin-1-yl) isoquinoline,

(82)

3- [4- (N,N-diethylamino) sulfonylmethylphenyl] -1- (4-ethylpiperazin-1-yl) isoquinoline,

(83)

3- [4- (tetrahydropyran-4-yl) phenyl] -1- (4-ethylpiperazin-1-yl) isoquinoline,

(84)

3- [4- (5,6-dihydro-2H-pyran-4-yl) phenyl] -1- (4-ethylpiperazin-1-yl) isoquinoline,

(85)

3- (4-ethylcarbonylaminomethylphenyl) -1- (4-ethylpiperazin-1-yl) isoquinoline,

(86)

3- (4-propylcarbonylaminomethylphenyl) -1- (4-ethylpiperazin-1-yl) isoquinoline,

(87)

3- (4-ethylaminocarbonylmethylphenyl) -1- (4-ethylpiperazin-1-yl) isoquinoline,

(88)

3- (4-propylaminocarbonylmethylphenyl) -1- (4-ethylpiperazin-1-yl) isoquinoline,

(89)

3- (4-butylaminocarbonylmethylphenyl) -1- (4-ethylpiperazin-1-

yl)isoquinoline,

(90)

3-(4-methylsulfonylmethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(91)

3-(3-chloro-4-ethylsulfonylaminomethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(92)

3-(3-chloro-4-propylsulfonylaminomethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(93)

3-(4-morpholinylmethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(94)

3-(4-thiomorpholinylmethylphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(95)

3-[4-(3-oxazolidinone)phenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(96)

3-[4-(4,4-ethylenedioxy-piperidin-1-yl)phenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(97)

1-(4-ethylpiperazin-1-yl)-3-[4-(4-hydroxy-piperidin-1-yl)phenyl]isoquinoline,

(98)

1- (4-ethylpiperazin-1-yl) -3- [4- (4-methoxypiperidin-1-yl) phe
nyl] isoquinoline,

(99)

3- [2- (4-acetylpiperazin-1-yl) pyridin-5-yl] -1- (4-ethylpipera
zin-1-yl) isoquinoline,

(100)

3- [4- (4-acetylpiperazin-1-yl) phenyl] -1- (4-ethylpipera
zin-1-yl) isoquinoline,

(101)

3- (2-methoxybenzyl) -1- (4-ethylpiperazin-1-yl) isoquino
line,

(102)

3- [α -methyl- (4-methoxybenzyl)] -1- (4-ethylpiperazin-1-yl) iso
quinoline,

(103)

3- [α -hydroxy- (2-methoxybenzyl)] -1- (4-ethylpiperazin-1-yl) is
oquinoline,

(104)

3- [α -hydroxy- (4-methoxybenzyl)] -1- (4-ethylpiperazin-1-yl) is
oquinoline,

(105)

3- [α -methyl- α -hydroxy- (4-methoxybenzyl)] -1- (4-ethylpiperaz
in-1-yl) isoquinoline,

(106)

1- (1-ethylpiperazin-4-yl) -3- (4-methoxyphenethyl) isoquinolin
e,

(107)

1-(1-ethylpiperazin-4-yl)-3-[2-(2-hydroxyethoxy)phenethyl]isoquinoline,

(108)

1-(1-ethylpiperazin-4-yl)-3-[3-(2-hydroxyethoxy)phenethyl]isoquinoline,

(109)

1-(1-ethylpiperazin-4-yl)-3-[4-(2-hydroxyethoxy)phenethyl]isoquinoline,

(110)

1-(1-ethylpiperazin-4-yl)-3-{3-[2-(2-hydroxyethoxy)phenyl]propyl}isoquinoline,

(111)

3-(2-methoxyphenylcarbonyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(112)

3-(4-methoxyphenylcarbonyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(113)

3-(4-methoxyindan-1-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(114)

3-(6-methoxyindan-1-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(115)

3-[4-(2-hydroxyethoxy)indan-1-yl]-1-(4-ethylpiperazin-1-yl)

isoquinoline,

(116)

3-(8-methoxy-1,2-dihydronaphthalen-4-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(117)

3-(7-methoxy-1,2-dihydronaphthalen-4-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(118)

3-(6-methoxy-1,2-dihydronaphthalen-4-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(119)

3-(5-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(120)

3-(6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(121)

3-(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(122)

3-(3-hydroxymethylchroman-6-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(123) 1-(4-ethylpiperazin-1-yl)-3-(2-pyridyl)isoquinoline,

(124)

1-(1-ethylpiperazin-4-yl)-3-[5-(2-hydroxyethoxy)pyridin-2-yl]isoquinoline,

(125)

1-(1-ethylpiperazin-4-yl)-3-[2-(2-hydroxyethoxy)pyridin-5-yl]isoquinoline,

(126)

1-(1-ethylpiperazin-4-yl)-3-[2-(2-methoxyethoxy)pyridin-5-yl]isoquinoline,

(127)

1-(1-ethylpiperazin-4-yl)-3-[5-(2-methoxyethoxy)pyridin-2-yl]isoquinoline,

(128)

3-(2-propylcarbonylaminopyridin-5-yl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(129)

3-[(2-methylsulfonylpyridin)-5-yl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(130)

3-[(2-ethylsulfonylpyridin)-5-yl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(131)

1-(1-ethylpiperazin-4-yl)-3-(2-butylpyridin-5-yl)isoquinoline,

(132)

1-(1-ethylpiperazin-4-yl)-3-[5-(3-fluoropropyl)pyridin-2-yl]isoquinoline,

(133)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-fluoropropyl)pyridin-5-yl]

]isoquinoline,

(134)

1-(1-ethylpiperazin-4-yl)-3-[5-(3-hydroxypropyl)pyridin-2-yl]isoquinoline,

(135)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-hydroxypropyl)pyridin-5-yl]isoquinoline,

(136)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-hydroxybutyl)pyridin-5-yl]isoquinoline,

(137)

1-(1-ethylpiperazin-4-yl)-3-[2-(4-hydroxybutyl)pyridin-5-yl]isoquinoline,

(138)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-hydroxy-3-methylbutyl)pyridin-5-yl]isoquinoline,

(139)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-methoxypropyl)pyridin-5-yl]isoquinoline,

(140)

1-(1-ethylpiperazin-4-yl)-3-[3-(3-methoxypropyl)pyridin-5-yl]isoquinoline,

(141)

1-(1-ethylpiperazin-4-yl)-3-[5-(3-methoxypropyl)pyridin-2-yl]isoquinoline,

(142)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-ethoxypropyl)pyridin-5-yl]isoquinoline,

(143)

1-(1-ethylpiperazin-4-yl)-3-[2-[3-(2-propoxy)propyl]pyridin-5-yl]isoquinoline,

(144)

1-(1-ethylpiperazin-4-yl)-3-[2-(3-methoxybutyl)pyridin-5-yl]isoquinoline,

(145)

1-(1-ethylpiperazin-4-yl)-3-{2-[2-(2-hydroxy-2-cyclohexyl)ethynyl]pyridin-4-yl}isoquinoline,

(146)

1-(1-ethylpiperazin-4-yl)-3-[2-(1-butyryl)pyridin-5-yl]isoquinoline,

(147)

1-(4-ethylpiperazin-1-yl)-3-[2-(morpholin-4-yl)pyridin-5-yl]isoquinoline,

(148)

1-(4-ethylpiperazin-1-yl)-3-[5-(morpholin-4-yl)pyridin-2-yl]isoquinoline,

(149)

3-[2-(2,6-dimethylmorpholin-4-yl)pyridin-5-yl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(150)

1-(4-ethylpiperazin-1-yl)-3-[2-(thiomorpholin-4-yl)pyridin-5-yl]isoquinoline,

(151)

1-(4-ethylpiperazin-1-yl)-3-[2-(S-oxythiomorpholin-4-yl)pyridin-5-yl]isoquinoline,

(152)

1-(4-ethylpiperazin-1-yl)-3-[2-(4-hydroxypiperidin-1-yl)pyridin-5-yl]isoquinoline,

(153)

1-(4-ethylpiperazin-1-yl)-3-[2-(4-methoxypiperidin-1-yl)pyridin-5-yl]isoquinoline,

(154)

1-(4-ethylpiperazin-1-yl)-3-[2-(4-hydroxymethylpiperidin-1-yl)pyridin-5-yl]isoquinoline,

(155)

3-[2-(5,6-dihydro-2H-pyran-4-yl)pyridin-5-yl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(156)

3-[2-(tetrahydropyran-4-yl)pyridin-5-yl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(157)

3-[4-[3-(3-pyridyl)propoxy]phenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(158)

1-(1-ethylpiperazin-4-yl)-3-(1-phenylpiperazin-4-yl)isoquinoline,

(159)

1-(1-ethylpiperazin-4-yl)-3-[1-(2-pyridyl)piperazin-4

1- (1-ethylpiperazin-4-yl) -3- (2-hydroxymethylthiazol-5-yl) isoquinoline,
(169)

1- (1-ethylpiperazin-4-yl) -3- [1- (2-hydroxyethyl) pyrazol-3-yl] isoquinoline,
(170)

1- (1-ethylpiperazin-4-yl) -3- [(1-hydroxypropyl) thiazol-5-yl] isoquinoline,
(171)

1- (1-ethylpiperazin-4-yl) -3- [2- (3-hydroxypropyl) thiazol-5-yl] isoquinoline,
(172)

1- (1-ethylpiperazin-4-yl) -3- [2- (3-methoxypropyl) thiazol-5-yl] isoquinoline,
(173)

1- (1-ethylpiperazin-4-yl) -3- [2- (4-morpholinyl) thiazol-5-yl] isoquinoline,
(174)

3- (2-propylcarbonylaminopyrimidin-5-yl) -1- (4-ethylpiperazin-1-yl) isoquinoline,
(175)

3- [2- (5,6-dihydro-2H-pyran-4-yl) thiophen-4-yl] -1- (4-ethylpiperazin-1-yl) isoquinoline,
(176)

3- [2- (5,6-dihydro-2H-pyran-4-yl) thiophen-5-yl] -1- (4-ethylpiperazin-1-yl) isoquinoline,

(177)

1-(1-ethylpiperazin-4-yl)-3-(phenylethynyl)isoquinoline,

(178)

1-(1-ethylpiperazin-4-yl)-3-(4-methoxyphenyl)ethynylisoquinoline,

(179)

1-(1-ethylpiperazin-4-yl)-3-(2-pyridyl)ethynylisoquinoline,

(180)

3-[3-(4-morpholinyl)-1-propynyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(181)

1-(1-ethylpiperazin-4-yl)-3-(3-phenyl-1-propynyl)isoquinoline,

(182)

1-(1-ethylpiperazin-4-yl)-3-(4-phenyl-1-butyne)isoquinoline,

(183)

1-(1-ethylpiperazin-4-yl)-3-[4-(2-hydroxyethoxy)phenylethynyl]isoquinoline,

(184)

1-(1-ethylpiperazin-4-yl)-3-benzoyl-ethynylisoquinoline,

(185)

1-(1-ethylpiperazin-4-yl)-3-(2,4-dimethoxyphenylethynyl)isoquinoline,

(186)

1-(1-ethylpiperazin-4-yl)-3-[3-(3-methoxypropyl)-5-pyridyl]
ethynylisoquinoline,

(187)

1-(1-ethylpiperazin-4-yl)-3-[2-(2-hydroxyethoxy)phenyl]ethy
nylisoquinoline,

(188)

1-(1-ethylpiperazin-4-yl)-3-[3-(2-hydroxyethoxy)-2-pyridyl]
ethynylisoquinoline,

(189)

1-(1-ethylpiperazin-4-yl)-3-(trans-2-phenylethenyl)isoquino
line,

(190)

1-(1-ethylpiperazin-4-yl)-3-[trans-2-(4-methoxyphenyl)ethen
yl]isoquinoline,

(191)

1-(1-ethylpiperazin-4-yl)-3-[cis-2-(4-methoxyphenyl)ethenyl
]isoquinoline,

(192)

1-(1-ethylpiperazin-4-yl)-3-(cis-1-methyl-2-phenyleth
enyl)isoquinoline,

(193)

1-(1-ethylpiperazin-4-yl)-3-(trans-1-methyl-2-phenylethenyl
)isoquinoline,

(194)

1-(1-ethylpiperazin-4-yl)-3-[trans-2-(2-hydroxyethoxyphenyl
)ethenyl]isoquinoline,

(195)

1-(1-ethylpiperazin-4-yl)-3-[trans-2-(2-methoxyphenyl)ethenyl]isoquinoline,

(196)

1-(1-ethylpiperazin-4-yl)-3-(trans-2-methyl-2-phenylethen-1-yl)isoquinoline,

(197)

1-(1-ethylpiperazin-4-yl)-3-[trans-2-(2-fluorophenyl)ethenyl]isoquinoline,

(198)

1-(1-ethylpiperazin-4-yl)-3-[(E)-4-(2-hydroxyethoxy)styryl]isoquinoline,

(199)

1-(1-ethylpiperazin-4-yl)-3-{trans-2-[3-(2-hydroxyethoxy)phenyl]ethenyl}isoquinoline,

(200)

3-{(E)-2-[2-(4-morpholinyl)pyridin-5-yl]ethenyl}-1-(4-ethylpiperazin-1-yl)isoquinoline,

(201)

3-[(E)-2-(4-methylsulfonylphenyl)ethenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(202)

3-[(E)-2-(2-methylsulfonylphenyl)ethenyl]-1-(4-ethylpiperazin-1-yl)isoquinoline,

(203)

3-[(E)-2-(4-methylsulfonylmethylphenyl)ethenyl]-1-(4-ethylp

iperazin-1-yl) isoquinoline,

(204)

3- { (E) -2- [3- (4-morpholinyl) phenyl] ethenyl } -1- (4-ethylpiperazin-1-yl) isoquinoline,

(205)

3- { (E) -2- [4- (4-morpholinyl) phenyl] ethenyl } -1- (4-ethylpiperazin-1-yl) isoquinoline,

(206)

3- { (E) -2-methyl-2- [4- (4-morpholinyl) phenyl] ethenyl } -1- (4-ethylpiperazin-1-yl) isoquinoline,

(207)

3- { (E) -2-methyl-2- [3- (4-morpholinyl) phenyl] ethenyl } -1- (4-ethylpiperazin-1-yl) isoquinoline,

(208)

3- [(E) -2-methoxymethyl-2-phenylethenyl] -1- (4-ethylpiperazin-1-yl) isoquinoline,

(209)

1- (1-ethylpiperazin-4-yl) -3- [trans-2- (2-pyridyl) ethenyl] isoquinoline,

(210)

1- (1-ethylpiperazin-4-yl) -3- [trans-2- (4-pyridyl) ethenyl] isoquinoline,

(211)

1- (1-ethylpiperazin-4-yl) -3- [3- (2-methoxy) phenyl-2-propenyl] isoquinoline,

(212)

1- (1-ethylpiperazin-4-yl) -3- [3- (2-hydroxyethoxy) pheny
1-1-propenyl] isoquinoline,

(213)

3- { (E) -2- [2- (4-morpholinyl) pyridin-5-yl] ethenyl } -1- (4-ethyl
piperazin-1-yl) isoquinoline,

(214)

3- { (E) -2- [3- (4-morpholinyl) pyridazin-6-yl] ethenyl } -1-
(4-ethylpiperazin-1-yl) isoquinoline,

(215)

3- { (E) -2- [4- (4-morpholinyl) pyrimidin-6-yl] ethenyl } -1-
(4-ethylpiperazin-1-yl) isoquinoline,

(216)

3- { (E) -2- [2- (4-morpholinyl) pyrazin-6-yl] ethenyl } -1- (4-ethyl
piperazin-1-yl) isoquinoline,

(217)

3- [1- (4-methoxyphenyl) ethenyl] -1- (4-ethylpiperazin-1-
yl) isoquinoline,

(218)

1- (1-ethylpiperazin-4-yl) -N-phenyl-3-isoquinolinecarb
oxamide,

(219)

1- (1-ethylpiperazin-4-yl) -3- (4-methoxyanilinomethyl) isoquin
oline,

(220)

1- (1-ethylpiperazin-4-yl) -3- (4-methoxybenzylamino) isoquinol
ine,

(221)

1-(1-ethylpiperazin-4-yl)-4-methoxy-3-(4-methoxyphenyl)isoquinoline,

(222)

1-(1-ethylpiperazin-4-yl)-5-methyl-3-(4-methoxyphenyl)isoquinoline,

(223)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethoxy)phenyl]-6-fluoroisoquinoline,

(224)

1-(1-ethylpiperazin-4-yl)-6-fluoro-3-(4-methoxyphenyl)isoquinoline,

(225)

1-(1-ethylpiperazin-4-yl)-6-methyl-3-(4-methoxyphenyl)isoquinoline,

(226)

1-(4-ethylpiperazin-1-yl)-6-methoxy-3-(4-trifluoromethylphenyl)isoquinoline,

(227)

1-(4-ethylpiperazin-1-yl)-6-methoxy-3-(4-methoxyphenyl)isoquinoline,

(228)

1-(1-ethylpiperazin-4-yl)-7-methyl-3-(4-methoxyphenyl)isoquinoline,

(229)

1-(4-ethylpiperazin-1-yl)-7-fluoro-3-(4-methoxyphenyl)isoquinoline,

inoline,

(230)

1- (4-ethylpiperazin-1-yl) -3- [4- (2-hydroxyethoxy) phenyl]-7-fluoroisoquinoline,

(231)

1- (4-ethylpiperazin-1-yl) -7-methoxy-3-phenylisoquinoline,

(232)

1- (4-ethylpiperazin-1-yl) -7-methoxy-3- (2-methoxyphenyl) isoquinoline,

(233)

1- (1-ethylpiperazin-4-yl) -8-fluoro-3- (4-methoxyphenyl) isoquinoline,

(234)

1- (1-ethylpiperazin-4-yl) -8-fluoro-3- [4- (2-hydroxyethoxy) phenyl] isoquinoline,

(235)

1- (1-ethylpiperazin-4-yl) -8-methoxy-3- (4-methoxyphenyl) isoquinoline,

(236)

1- (1-propylpiperazin-4-yl) -3- (4-methoxyphenyl) isoquinoline,

(237)

1- (1-propylpiperazin-4-yl) -3- [4- (2-hydroxyethoxy) phenyl] isoquinoline,

(238)

1- (1-isopropylpiperazin-4-yl) -3- (4-methoxyphenyl) isoquinoline,

uinoline,

(239)

1- (1-cyclopropylpiperazin-4-yl) -3- (4-methoxyphenyl) isoquinoline,

(240)

1- (1-allylpiperazin-4-yl) -3- (4-methoxyphenyl) isoquinoline,

1- [1- (2-fluoroethyl) piperazin-4-yl] -3- (4-methoxyphenyl) isoquinoline,

(242)

1- [4- (2-hydroxyethyl) piperazin-1-yl] -3- (4-methoxyphenyl) isoquinoline,

(243)

3- (4-ethylsulfonylaminomethylphenyl) -1- [4- (2-hydroxyethyl) piperazin-1-yl] isoquinoline,

(244)

8- (4-ethylpiperazin-1-yl) -6- (4-methoxyphenyl) pyrido [2,3-c] pyridine,

(245)

8- (1-ethylpiperazin-4-yl) -6- [4- (2-hydroxyethoxy) phenyl] -1,7-naphthyridine,

(246)

8- (1-ethylpiperazin-4-yl) -6- {4- [(S) -2-hydroxypropoxy] phenyl} -1,7-naphthyridine,

(247)

8- (1-ethylpiperazin-4-yl) -6- [4- (3-hydroxypropyl) phenyl

1]-1,7-naphthyridine,

(248)

8-(1-ethylpiperazin-4-yl)-6-[4-(3-hydroxybutyl)phenyl]
]-1,7-naphthyridine,

(249)

8-(1-ethylpiperazin-4-yl)-6-[4-(3-hydroxy-1-fluoropro
pyl)phenyl]-1,7-naphthyridine,

(250)

8-(1-ethylpiperazin-4-yl)-6-[4-(2-hydroxy-2-methylpro
poxy)phenyl]-1,7-naphthyridine,

(251)

1-(1-ethylpiperazin-4-yl)-3-(4-methoxyphenyl)-2,6-naphthyri
dine,

(252)

5-(1-ethylpiperazin-4-yl)-7-(4-methoxyphenyl)-1,6-naphthyri
dine,

(309)

1-(1-ethylpiperazin-4-yl)-3-[4-(2-hydroxy-2-methylpropoxy)p
henyl]isoquinoline,

(310)

1-(1-ethylpiperazin-4-yl)-3-(3-phenyl-3-hydroxy-1-propynyl)
isoquinoline,

(311)

1-(1-ethylpiperazin-4-yl)-8-methyl-3-(4-methoxyphenyl)isoqu
inoline,

(312)

(313)

(314)

(315)

(318)

1-{N-[2-(2-dimethylamino)ethyl]-N-methylamino}-3-(4-methoxyphenyl)isoquinoline,

1-(1-ethyl-2-pyrrolidinyl)methylamino-3-(4-methoxyphenyl)isoquinoline,

(322)

(323)

1-[2-(4-morpholinyl)ethyl]amino-3-(4-methoxyphenyl)isoquinoline,

(324) 1-(1-imidazolyl)-3-(4-methoxyphenyl)isoquinoline,

(325)

1-[4-(piperidin-1-yl)piperidin-1-yl]-3-(4-methoxyphenyl)isoquinoline,

(326)

1-(1,4,5,6-tetrahydropyrimidin-1-yl)-3-(4-methoxyphenyl)isoquinoline,

(327)

1-(1-ethylhomopiperazin-4-yl)-3-(4-methoxyphenyl)isoquinoline,

(328)

3-(4-methoxyphenyl)-1-(4-ethylpiperazin-1-yl)methylisoquinoline,

(329)

1-(4-ethylpiperazin-1-yl)-3-[3-(2-hydroxyethoxy)phenyl]isoquinoline,

(330)

1-(4-ethylpiperazin-1-yl)-3-(4-ethoxyphenyl)isoquinoline,

(331)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxypropoxy)phenyl]isoquinoline,

(332)

1-(4-ethylpiperazin-1-yl)-3-(3,4-ethylenedioxyphenyl)isoquinoline,

(333)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-methoxypropyl)phenyl]isoquinoline,

uinoline,

(334)

1-(4-ethylpiperazin-1-yl)-3-[4-(n-butyl)phenyl]isoquinoline,

(335)

1-(4-ethylpiperazin-1-yl)-3-(4-methoxypyridin-2-yl)isoquinoline,

(336)

1-(4-ethylpiperazin-1-yl)-3-[4-(1,3-dioxolan-2-ylmethoxy)phenyl]isoquinoline,

(337)

1-(4-ethylpiperazin-1-yl)-3-[4-(2,3-dihydroxypropoxy)phenyl]isoquinoline,

(338)

1-(4-ethylpiperazin-1-yl)-3-(4-carbamoylmethoxyphenyl)isoquinoline,

(339)

1-(4-ethylpiperazin-1-yl)-3-(4-trifluoromethoxyphenyl)isoquinoline,

(340)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethoxy)-3-methoxyphenyl]isoquinoline,

(341)

1-(4-ethylpiperazin-1-yl)-3-(4-methylthiophenyl)isoquinoline,

(342)

1-(4-ethylpiperazin-1-yl)-3-(4-methylsulfonylphenyl) isoquinoline,

(343)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxy-3-methoxypropoxy)phenyl]isoquinoline,

(344)

1-(4-ethylpiperazin-1-yl)-3-(2-methoxypyridin-5-yl) isoquinoline,

(345)

1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxy-1-methylethyl)phenyl]isoquinoline,

(346)

1-(4-ethylpiperazin-1-yl)-3-[4-[N-(2-hydroxyethyl) carbamoyl]phenyl]isoquinoline,

(347)

1-(4-ethylpiperazin-1-yl)-3-[4-[N-(2-hydroxyethyl) sulfonyl]phenyl]isoquinoline,

(348)

1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxyethyl)phenyl]isoquinoline,

(349)

1-(4-ethylpiperazin-1-yl)-3-[4-(propylsulfonyl)phenyl]isoquinoline,

(350)

1-(4-ethylpiperazin-1-yl)-3-[4-[(3-methoxypropyl) sulfonyl]phenyl]isoquinoline,

(351)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethyl)phenyl]isoquinoline,

(352)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxypropyl)sulfonylphenyl]isoquinoline,

(353)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-propylsulfamoyl)phenyl]isoquinoline,

(354)

1-(4-ethylpiperazin-1-yl)-3-[4-[N-(2-methoxyethyl)sulfamoyl]phenyl]isoquinoline,

(355)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-fluoropropyl)sulfonylphenyl]isoquinoline,

(356)

1-(4-ethylpiperazin-1-yl)-3-[4-(pyrrolidin-1-yl)sulfonylphenyl]isoquinoline,

(357)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-ethylsulfamoyl)phenyl]isoquinoline,

(358)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-methyl-N-propylsulfamoyl)phenyl]isoquinoline,

(359)

1-(4-ethylpiperazin-1-yl)-3-[4-(N,N-diethylsulfamoyl)phenyl]

]isoquinoline,

(360)

1-(4-ethylpiperazin-1-yl)-3-[4-[N-(1-methylpropyl)sulfamoyl]
phenyl]isoquinoline,

(361)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-methylsulfamoyl)phenyl]
isoquinoline,

(362)

1-(4-ethylpiperazin-1-yl)-3-[4-(N,N-dimethylsulfamoyl)phenyl]
isoquinoline,

(363)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-cyclopropylsulfamoyl)phenyl]
isoquinoline,

(364)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-ethylcarbamoyl)phenyl]iso
quinoline,

(365)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-methylcarbamoyl)phenyl]iso
quinoline,

(366)

1-(4-ethylpiperazin-1-yl)-3-[4-(ethylsulfonyl)phenyl]isoqui
noline,

(367)

1-(4-ethylpiperazin-1-yl)-3-(3-fluoro-4-methoxyethoxyphenyl)
isoquinoline,

(368)

1-(4-ethylpiperazin-1-yl)-3-(3,5-difluoro-4-methoxyethoxyphenyl)isoquinoline,

(369)

1-(4-ethylpiperazin-1-yl)-3-[3-fluoro-4-(2-hydroxyethoxy)phenyl]isoquinoline,

(370)

1-(4-ethylpiperazin-1-yl)-3-[3,5-difluoro-4-(2-hydroxyethoxy)phenyl]isoquinoline,

(371)

1-(4-ethylpiperazin-1-yl)-3-[3,5-difluoro-4-(2-fluoroethoxy)phenyl]isoquinoline,

(372)

1-[4-(2-hydroxyethyl)piperazin-1-yl]-3-[4-(N-ethylsulfamoyl)phenyl]isoquinoline,

(373)

1-[4-(2-hydroxyethyl)piperazin-1-yl]-3-[4-(propylsulfonyl)phenyl]isoquinoline,

(374) 1-(4-ethylpiperazin-1-yl)-3-(phenylthio)isoquinoline,

(375)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-oxopropyl)phenyl]isoquinoline,

(376)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxypropyl)phenyl]isoquinoline,

(377)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxy-2-methylpropyl)phenyl]isoquinoline,

enyl]isoquinoline,

(378)

1-(4-ethylpiperazin-1-yl)-3-(2-pyridylthio)isoquinoline,

(379)

1-(4-ethylpiperazin-1-yl)-3-(4-butyrylphenyl)isoquinoline,

(380)

1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxyiminobutyl)phenyl]
isoquinoline,

(381)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-methyl-N-propylcarbamoyl)
phenyl]isoquinoline,

(382)

1-(4-ethylpiperazin-1-yl)-3-[4-[N-(2-hydroxyethyl)-N-methyl
carbamoyl]phenyl]isoquinoline,

(383)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-1-methylpropyl)ph
enyl]isoquinoline,

(384)

1-(4-ethylpiperazin-1-yl)-3-[4-(N-propylcarbamoyl)-3-fluoro
phenyl]isoquinoline,

(385)

1-(4-ethylpiperazin-1-yl)-3-[3-fluoro-4-(2-hydroxyethyl)ph
enyl]isoquinoline,

(386)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-2-methylpropyl)ph
enyl]isoquinoline,

(387)

1-(4-ethylpiperazin-1-yl)-3-[4-(1,2-dihydroxyethyl)phenyl]isoquinoline,

(388)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-3-methylbutyl)phenyl]isoquinoline,

(389)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-2,2-dimethylpropyl)phenyl]isoquinoline,

(390)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-1,1-dimethylpropyl)phenyl]isoquinoline,

(391)

1-(4-ethylpiperazin-1-yl)-3-[4-(1,3-dihydroxy-2,2-dimethylpropyl)phenyl]isoquinoline,

(392)

1-(4-ethylpiperazin-1-yl)-3-[4-[4-(2-hydroxyethyl)tetrahydropyran-4-yl]phenyl]isoquinoline,

(393)

1-(4-ethylpiperazin-1-yl)-3-(2-hydroxymethylindan-5-yl)isoquinoline,

(394)

1-(4-ethylpiperazin-1-yl)-3-[(3,4-dihydroxymethyl)phenyl]isoquinoline,

(395)

1-(4-ethylpiperazin-1-yl)-3-[4-(1,4-dioxan-2-yl)phenyl]isoquinoline,

uinoline,

(396)

1-(4-ethylpiperazin-1-yl)-3-[4-(tetrahydrofuran-2-yl)phenyl]
isoquinoline,

(397)

1-(4-ethylpiperazin-1-yl)-3-[4-(cis-4-hydroxycyclohexyl)phenyl]
isoquinoline,

(398)

1-(4-ethylpiperazin-1-yl)-3-[4-(trans-4-hydroxycyclohexyl)phenyl]
isoquinoline,

(399)

1-(4-ethylpiperazin-1-yl)-3-[4-(tetrahydropyran-4-yl)methylphenyl]
isoquinoline,

(400)

4-chloro-1-(4-ethylpiperazin-1-yl)-3-(4-methoxyphenyl)isoquinoline,

(401)

1-(4-ethylpiperazin-1-yl)-3-[4-(cis-4-hydroxytetrahydropyran-2-yl)phenyl]
isoquinoline,

(402)

1-(4-ethylpiperazin-1-yl)-3-[4-(trans-4-hydroxytetrahydropyran-2-yl)phenyl]
isoquinoline,

(403)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxypropoxy)phenyl]isoquinoline,

(404)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxy-1-methylethoxy)phenyl]isoquinoline,

(405)

1-(4-ethylpiperazin-1-yl)-3-(2-methoxypyridin-4-yl)isoquinoline,

(406)

1-(4-ethylpiperazin-1-yl)-3-(2-benzyloxy pyridin-4-yl)isoquinoline and

1-(4-ethylpiperazin-1-yl)-3-(2-chloropyridin-4-yl)isoquinoline,

(407)

1-(4-ethylpiperazin-1-yl)-3-[2-(2-methoxyethoxy)pyridin-4-yl]isoquinoline,

(408)

1-(4-ethylpiperazin-1-yl)-3-(4-carbamoylphenyl)isoquinoline,

(409)

1-(4-ethylpiperazin-1-yl)-3-[4-(cyclohexylhydroxymethyl)phenyl]isoquinoline,

(410)

1-(4-ethylpiperazin-1-yl)-3-[4-(4-hydroxytetrahydropyran-4-yl)phenyl]isoquinoline,

(411)

1-(4-ethylpiperazin-1-yl)-3-[4-[bis(1,3-thiazol-2-yl)hydroxymethyl]phenyl]isoquinoline,

(412)

1-(4-ethylpiperazin-1-yl)-3-[4-(1,3-thiazol-2-yl)hydr
oxymethylphenyl]isoquinoline,

(413)

1-(4-ethylpiperazin-1-yl)-3-[(3-pyridyl)hydroxymethyl
]isoquinoline,

(414)

1-(4-ethylpiperazin-1-yl)-3-(1-indanon-5-yl)isoquinoline,

(415)

1-(4-ethylpiperazin-1-yl)-3-(1-hydroxyindan-5-yl)isoquinoli
ne,

(416)

1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-3-methylbutyl)-3-
fluorophenyl]isoquinoline,

(417)

1-(4-ethylpiperazin-1-yl)-3-[3-cyano-4-(2-hydroxyethoxy)phe
nyl]isoquinoline,

(418)

1-(4-ethylpiperazin-1-yl)-3-[3-(3-hydroxypropyl)phenyl]isoq
uoline,

(419) 1-(4-ethylpiperazin-1-yl)-3-benzylisoquinoline,

(420)

1-(4-ethylpiperazin-1-yl)-3-(2-hydroxy-2-phenylethyl)isoqui
noline,

(421)

3-benzamide-1-(4-ethylpiperazin-1-yl)isoquinoline,

(422)

3-benzenesulfonamide-1-(4-ethylpiperazin-1-yl)isoquinoline,
(423)

1-(4-ethylpiperazin-1-yl)-3-(4-methoxybenzenesulfonamide)is
oquinoline,
(424)

1-(4-ethylpiperazin-1-yl)-3-(4-methoxyphenoxymethyl)isoquin
oline,
(425)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethoxy)-2-me
thoxyphenyl]isoquinoline,
(426)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxycyclohexylox
y)phenyl]isoquinoline,
(427)

4-(4-ethylpiperazin-1-yl)-2-(4-methoxyphenyl)quinazoline,
and
(428)

1-(4-ethylpiperazin-1-yl)-3-(4-methoxyphenyl)-7-azaisoquino
line.

7. A medicinal composition which comprises a
pharmaceutically effective dose of the condensed pyridine
compound as claimed in Claim 1, its pharmaceutically acceptable
salt or hydrates thereof, and pharmaceutically acceptable
carriers.

8. An agent for treating, ameliorating or preventing
diseases against which serotonin antagonism is efficacious, which

comprises the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof as the active ingredient.

9. An agent for treating, ameliorating or preventing spastic paralysis, which comprises the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof as the active ingredient.

10. A muscle relaxant, which comprises the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof as the active ingredient.

11. A method for treating diseases against which serotonin antagonism is efficacious or spastic paralysis, or ameliorating myotonia, which comprising the step of administering a pharmaceutically effective dose of the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof to a patient.